

JURUPA

WOOD COUTURE



MIRAGE[®]
Porcelain.Design.Sustainability

JURUPA

WOOD COUTURE



JURUPA

WOOD COUTURE

Jurupa presenta l’armonia perfetta fra calore ed eleganza, le superfici si arricchiscono di dettagli stuccati, campiture dall’aspetto piallato e liscio, in 5 nuance dai raffinati toni neutri.

Jurupa: a perfectly smooth blend of warmth and elegance, in which surfaces are enhanced by grouted details and smooth, planed sections, in 5 sophisticated neutral shades.

Jurupa, eine perfekte Harmonie zwischen Wärme und Eleganz, in der die Oberflächen durch Stuckdetails und gehobelt, glatt wirkende Grundierungen in 5 Nuancen raffinierter neutraler Farbtöne bereichert werden.

Jurupa, une harmonie parfaite entre la chaleur et l’élégance, où les surfaces s’enrichissent de détails jointoyés et de fonds à l’aspect raboté et lisse, dans 5 nuances aux tons neutres raffinés.

Jurupa, armonía perfecta entre calidez y elegancia, donde las superficies se enriquecen de detalles estucados, decoraciones de aspecto cepillado y liso, en 5 versiones de refinados tonos neutros.

Jurupa系列，达到温暖和优雅之间的完美和谐，表面饰有粉刷细节，外观平整光滑的表面，备有5种精美的中性色调。

200x1200

8”x48”

▼
9 mm
▲

300x2400

12”x96”

▼
9 mm
▲

WILD JP05



P 4

CAMP JP04



P 8

MASTER JP03



P 12

WILD JP05



P 16

BASIC JP01



P 18

CAMP JP04



P 20

COOL JP02



P 23

MASTER JP03



P 27



WILD JP05 FLOOR: Wild JP05 NAT SQ 300x2400 / 12"x96"



CAMP JP04

FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
WALL and TUB: Glocal Absolute GC 06 SP SQ 1200x2780 / 48"x110"
WALL SHOWER and TOP: Camp JP04 NAT SQ 200x1200 / 8"x48"
BANCH: Norr Grå RR 02



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
TOP: Camp JP04 NAT SQ



MASTER JP03

FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
KITCHEN WALL AND TOP: Norr Grå RR 02 NAT
KITCHEN ISLAND TOP: Jewels JW 13 Gioia White LUC 1620x3240x12 / 63³/₄"x127¹/₂"



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
KITCHEN ISLAND TOP: Jewels JW 13 Gioia White LUC 1620x3240x12 / 63³/₄"x127¹/₂"





WILD JP05 FLOOR: Wild JP05 GRIP SQ 200x1200 / 8"x48"
RAILING: Glocal Iron GC 20 SP 1600x3200 / 63"x126"





BASIC JP01


FLOOR: Basic JP01 NAT SQ 200x1200 / 8"x48"
WALL: Hub Urban UB 05 NAT SQ 150x600 / 6"x24"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
COUNTER: Glocal Iron GC 20 SP SQ 1600x3200 / 63"x126"



COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"
WALL: Norr Grå RR 02 NAT SQ 1600x3200 / 63"x126"





COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"



MASTER JP03

FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
WALL: Gris Belge NE31 NAT 1600x3200 / 63"x126"
Master JP03 NAT SQ 300x2400 / 12"x96"





GRIP

NATURAL

JURUPA

BASIC JP01

± 9 mm

300x2400 / 12"x96"
NAT SQ

± 9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 112 Grigio Medio

KERAKOLL 02 Grigio Luce



JURUPA
COOL JP02

9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 111 Grigio Argento

KERAKOLL 02 Grigio Luce



JURUPA
MASTER JP03

9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 113 Grigio Argento

KERAKOLL 04 Grigio Ferro



JURUPA
CAMP JP04

9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 134 Seta

KERAKOLL 52 Tortora



JURUPA
WILD JP05

9 mm

300x2400 / 12"x96"
NAT SQ

9 mm

200x1200 / 8"x48"
NAT SQ
200x1200 / 8"x48"
GP SQ

STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

MAPEI 136 Fango




















KERAKOLL 48 Moka



















JURUPA

RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES

				
	200x1200 8"x48"	200x1200 8"x48"	200x1200 8"x48"	300x2400 12"x96"
				
				
				
				
				
				
				

STANDARD EN 14411 - G

CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征		NORMA STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值	
CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征				NAT	
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側邊	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING	
	SPESSORE THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING	
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING	
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING	
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING	
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%	
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	≅ 9 mm: S≥2.400N R≥48 N/mm²	
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 80	
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³	
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹	
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA	
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5	
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT	
				NAT	GP
		DM. 236/89 BCRA	> 0,40	> 0,40	-
		ASTM C1028	Wet SCOF > 0,60	> 0,60	-
		ANSI A137.1	Wet DCOF > 0,42	> 0,42	-
		AS 4586:2013	-	-	-
		DIN 51130	-	R9	R11
		DIN 51097	-	A	-
		ENV 12633	≥ CL1	CL1	-
		UNI EN 13036 - 4:2011	≥ 36	-	-

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.

41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point

20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.

618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai

Building 5 - Suite B101
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai